Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently Amended) A medical device, comprising:

an elongate core member having a longitudinal axis, wherein the core member includes a solid cross-sectional portion having a solid, non-hollow cross-section taken perpendicular to the longitudinal axis;

a polymer jacket affixed to at least a portion of the solid cross-sectional portion of the core member, the polymer jacket having a textured outer surface having a first diameter; and

wherein the textured outer surface includes a helical groove having a second diameter, less than the first diameter, formed in the outer surface of the polymer jacket, the helical groove defined by one or more <u>rounded</u> edges extending between the first diameter of the outer surface and the second diameter of the helical groove, the one or more edges being rounded.

- 2. (Original) The medical device of claim 1, further comprising a coating disposed over the polymer jacket.
 - 3. (Cancelled)
 - 4. (Original) The medical device of claim 1, wherein the polymer jacket is free of a coil.
- 5. (Original) The medical device of claim 1, wherein the helical groove is positioned proximally of a distal tip of the medical device.
 - 6. (Currently Amended) An intravascular guidewire, comprising:

an elongate core member having a proximal end region and a distal end region, the distal end region having a solid, non-hollow cross-section taken perpendicular to a longitudinal axis of the elongate core member;

a polymer jacket affixed to the distal end region of the core member, the polymer jacket having a textured outer surface; and

wherein the textured outer surface is defined by a helical channel formed in the outer surface of the polymer jacket, wherein the helical channel includes a distal end, the distal end of the helical channel being disposed proximal of a distal end of the polymer jacket;

wherein the helical channel is defined by two or more rounded edges.

- 7. (Original) The guidewire of claim 6, further comprising a coating disposed over the polymer jacket.
 - 8. (Cancelled)
 - 9. (Original) The guidewire of claim 6, wherein the polymer jacket is free of a coil.
- 10. (Original) The guidewire of claim 6, wherein the textured outer surface of the polymer jacket is positioned proximally a distance from a distal end of the polymer jacket.
- 11. (Previously Presented) The guidewire of claim 10, wherein the textured outer surface is positioned about 2 to about 20 centimeters from the distal end of the polymer jacket.
 - 12-32. (Cancelled)
 - 33. (Currently Amended) A medical guidewire, comprising:
 - a solid, non-hollow elongate core member having a proximal region and a distal region;
- a polymer jacket affixed to the distal region of the elongate core member, the polymer jacket having an outer surface, wherein a helical channel, defined by [[one]] two or more rounded edges, is formed in the outer surface of the polymer jacket; and
 - a coating disposed over the polymer jacket.
 - 34. (Cancelled)

Reply to Final Office Action of October 24, 2008

35. (Currently Amended) A medical guidewire comprising:

an elongate core member having a proximal region and a distal region, the distal region

of the elongate core member including a tapered diameter portion; and

a polymer jacket affixed to at least a portion of the tapered diameter portion of the distal

region of the elongate core member;

wherein the polymer jacket has a textured outer surface defined by a helical groove

formed in the outer surface of the polymer jacket, wherein the helical channel includes a distal

end, the distal end of the helical channel being disposed proximal of a distal end of the polymer

jacket, wherein the helical channel is defined, in part, by rounded edges extending between a first

diameter of the outer surface of the polymer jacket to a second diameter different than the first

diameter.

36. (Previously Presented) The medical guidewire of claim 35, wherein the distal region

of the elongate core member includes a constant diameter portion.

37. (Previously Presented) The medical guidewire of claim 36, wherein the polymer

jacket is disposed over at least a portion of the constant diameter portion of the distal region of

the elongate core member.

38. (Previously Presented) The medical guidewire of claim 37, further comprising a

coating disposed over the polymer jacket.

Page 4 of 8